



Request for receiving water monitoring report prepared for NPDES permit

Brian Nickel to: wwtp

09/20/2012 09:40 AM

Bill:

As we discussed on the phone this morning, I'm working on the reissued NPDES permit for the City of Sandpoint.

The prior permit required some sampling of the receiving water, however, I was not able to find the report from that monitoring in our files. The receiving water monitoring requirements are on Pages 5 - 6 of the permit (see link below):

[http://yosemite.epa.gov/r10/water.nsf/NPDES+Permits/Current+ID1319/\\$FILE/ATTZBFE1/ID0020842%20FP.pdf](http://yosemite.epa.gov/r10/water.nsf/NPDES+Permits/Current+ID1319/$FILE/ATTZBFE1/ID0020842%20FP.pdf)

I was hoping you still had the report that was required by the permit, for this sampling. If you do have it, could you please send it to me? If you don't have the report, the results directly from the laboratory would also be acceptable, for my purposes.

Thank you,

Brian Nickel, E.I.T.

Environmental Engineer

US EPA Region 10 | Office of Water and Watersheds | NPDES Permits Unit

Voice: 206-553-6251 | Toll Free: 800-424-4372 ext. 6251 | Fax: 206-553-0165

Nickel.Brian@epa.gov

<http://epa.gov/r10earth/waterpermits.htm>

Please conserve natural resources by not printing this message.